

Art.Nr.
59071229928
AusgabeNr.
59071229928_1001
Rev.Nr.
30/07/2025












SPUG1550

AUS

Mitre Saw Stand
Translation of original instruction manual

4





Explanation of the symbols on the equipment





	<p>Before commissioning, read and observe the operating manual and safety instructions!</p>
	<p>Do not climb!</p>
	<p>Do not exceed total height!</p>
	<p>Do not exceed the maximum load!</p>

Table of contents:

	Page:
1. Introduction	5
2. Intended use	5
3. Safety instructions	6
4. Device description (Fig. 1-2)	6
5. Unpacking	6
6. Technical data	6
7. Assembly instructions	7
8. Cleaning	7
9. Storage	8
10. Transport	8
12. Disposal and recycling	8

1. Introduction

Congratulations on choosing to buy a Scheppach product.

All products brought to you by Scheppach are manufactured to the highest standards of performance and safety, and as part of our philosophy of customer service and satisfaction, are backed by our comprehensive **3 Year Warranty**. We hope you will enjoy using your purchase for many years to come.

Note:

According to the applicable product liability law the manufacturer of this mitre saw stand is not liable for damages which arise on or in connection with this mitre saw stand in case of:

- improper handling,
- non-compliance with the instructions for use,
- repairs by third party, non-authorized skilled workers,
- installation and replacement of non-original spare parts,
- improper use,

Recommendations:

Read the entire text of the operating instructions prior to the assembly and operation of the mitre saw stand.

These operating instructions are intended to make it easier for you to get familiar with your high pressure washer and utilise its intended possibilities of use.

The operating instructions contain important notes on how to work safely, properly and economically with your mitre saw stand and how to avoid dangers, save repair costs, reduce downtime, and increase the reliability and working life of the mitre saw stand.

In addition to the safety regulations contained herein, you must in any case comply with the applicable regulations of your country with respect to the operation of the mitre saw stand.

Put the operating instructions in a clear plastic folder to protect them from dirt and humidity, and store them near the mitre saw stand. The instructions must be read and carefully observed by each operator prior

to starting the work. Only persons who have been trained in the use of the mitre saw stand and have been informed on the related dangers and risks are allowed to use the mitre saw stand.

In addition to the safety notes contained in the present operating instructions and the special regulations of your country, the generally recognised technical rules for the operation of this mitre saw stand must be observed.

2. Intended use

Always observe the proper use of your Mitre Saw Stand.

The Mitre Saw Stand is designed for use with tabletop devices such as mitre saws, scroll saws, circular table saws, etc.

Electric power tools without suitable mounting holes are not permitted to be fitted to the Mitre Saw Stand and shall not be operated in conjunction with the Mitre Saw Stand.

Electric power tools must be firmly bolted to the Mitre Saw Stand before starting them up.

The Mitre Saw Stand is also designed as a workpiece support when working with mitre saws, scroll saws, circular table saws, and other similar electric power tools.

The maximum workpiece length is 2,5 m.

Additional workpiece supports may have to be used (e.g. a roller trestle) in order to prevent longer workpieces tilting.

Attention:

Ensure that the workpiece support is secure and not tilted!

Do not use the Mitre Saw Stand as a ladder or as scaffolding. Ensure that all handgrips, nuts and screws are tightened before use. Electric power tools on this device shall not exceed an overall height of 152 cm. The maximum payload is 200 kg. Ensure that the Mitre Saw Stand is on a level, firm and stable floor.


Any use beyond this is improper use. The manufacturer is not responsible for the resultant damages, the user bears this risk alone.

Please note that our equipment has not been designed for use in commercial, trade or industrial applications. Our warranty will be voided if the equipment is used in commercial, trade or industrial businesses or for

equivalent purposes.

3. Safety instructions

- Use the Mitre Saw Stand only in conjunction with suitable electric power tools!
- Check the Mitre Saw Stand for damage each time before use. Electric power tools shall not be mounted or operated on damaged support arms / crossbars.
- Electric power tools must be bolted to the support arms / crossbars and be secured on the Mitre Saw Stand!
- Always ensure the Mitre Saw Stand is secure when setting it up.
- Always ensure that you assume a natural and safe standing position when working.
- Do not overload the Mitre Saw Stand! Do not use the Mitre Saw Stand for purposes for which it is not intended.
- To prevent the Mitre Saw Stand from tipping over, make sure that the load does not extend laterally beyond the Mitre Saw Stand.
- Modifications or unauthorised changes to the Mitre Saw Stand as well as the use of unapproved parts is forbidden.
- All parts of the Mitre Saw Stand, in particular the safety devices, must be correctly mounted in order to guarantee trouble-free operation.
- Keep the Mitre Saw Stand out of reach of children. Store the device in a location that is inaccessible to unauthorised persons and children.



When using electric power tools, in conjunction with the Mitre Saw Stand, the respective machine-specific safety measures must be implemented as protection against electric shock, and the risk of injury or fire.

Read all of the instructions for the electric power tool that you intend to mount and operate before using the tool.

Safety instructions for the electric device mounted must likewise be observed.

Store these safety instructions safely.

Observe all safety instructions. If you disregard the safety instructions, you endanger yourself and others.

4. Device description (Fig. 1-2)

- A. Mitre Saw Stand
- B. Support arm
- C. Extendible machine base frame extension
- D. Adjustable workpiece support
- E. Screw
- F. Washer
- G. Spring washer
- H. Nut
- I. Star grip screw

5. Unpacking

Keep children away whilst unpacking and assembling the product. Do not let children play with the packaging materials.

1. Carefully take the Mitre Saw Stand and all of the individual parts out of the packaging and remove all of the packaging materials. If possible, keep the packaging as additional reference.
2. Check whether the delivery is complete (see Fig. 1-2).
3. Check whether the Mitre Saw Stand or the individual parts show any signs of damage. If this is the case, do not use the Mitre Saw Stand. Contact the manufacturer via the service address specified on the warranty card.



The device and the packaging are not children's toys! Do not let children play with plastic bags, films or small parts! There is a danger of choking or suffocating!

6. Technical data

Dimensions:	935 - 1975 x 645 x 820 - 935 mm
Table height:	775 mm
Height of the side expansions:	820 - 935 mm
Min. / max. spacing of the supports:	935 - 1975 mm

Max. permissible payload:	150 kg
Weight approx.:	8.6 kg

7. Assembly instructions

The universal tool stand is largely assembled and you need only fit the support arms, the extendible machine base frame extensions and the workpiece supports as follows:

Erecting the universal tool stand (fig. 3 - 4)

1. Place the universal tool stand (A) on the floor or on a workbench such that the frame legs (A.1) point upwards.
2. Press the spring pins (K) and fold out the frame leg.
3. Once the spring pin (K) latches into the intended position (J), the frame leg is locked.
4. Repeat this process for the other frame legs.
5. Set the universal tool stand down on its feet.

Fitting the extendible machine base frame extensions (fig. 5)

1. Connect the two extendible base frame extensions (C) into the frame bed and fix them using the star grip screws (I).

Fitting the support arms (fig. 6)

1. Fit the support arms (B) to the frame bed by pulling the locking lever (B.2) upwards and keep it held to unlock it. First hook in the support arm (B) on the rear side (B.1) of the frame bed.
2. Lower the front down onto the frame bed and release the locking lever (B.2). This fixes the support arm (B) to the frame bed.
3. Disassembly is carried out in reverse order.

Fitting the workpiece supports (fig. 7)

1. Insert the workpiece support (D) into the receptacle (L) of the frame bed and fix it via the star grip screws (I).
2. The height of the workpiece supports can be adjusted with the star grip screws (I).

Fastening your tabletop machine (fig. 8)

Different tabletop machines can be fastened to your universal tool stand by adjusting the support arms (B) to the spacing of the mounting holes on your machine.

1. Place your tabletop machine (e.g. mitre saw) on the support arms (B).

2. Fasten the tabletop machine with 4 hexagonal screws (E), 4 washers (F), 4 spring washers (G) and 4 hexagonal nuts (H) on each of the support arms.
3. Tighten the screws (E) after assembly.
4. Fasten the support arms (B) with the mounted tabletop machine on the universal tool stand, as described in point 9.3.

If the hole pattern of your machine is not parallel to the support arms (B), you can use crossbars as adapters. You can order the crossbars as accessories (see chapter 11).

Using the workpiece support as a workpiece stop (fig. 9)

The workpiece supports (D) have integrated workpiece stops (D.2), on both sides which can be used to saw multiple pieces of wood to the same length.

1. Loosen the star grip screw (I) on the desired side of the universal tool stand and adjust the height of the workpiece support (D) such that the support surface (D.1) is at the same height as the workpiece support of the saw.
2. Loosen the star grip screw (I) to slide the workpiece support horizontally.
3. Set the desired distance between the saw blade and the stop surface (D.2).
4. Lock your setting by tightening the star grip screws (I) again.

8. Cleaning

- Keep the Mitre Saw Stand as free of dust and dirt as possible. Rub the Mitre Saw Stand clean with a clean cloth or blow it off with compressed air at low pressure.
- We recommend that you clean the Mitre Saw Stand immediately after every use.
- Clean the device at regular intervals using a damp cloth and a little soft soap. Do not use any cleaning products or solvents - they could attack the plastic parts of the Mitre Saw Stand.

9. Storage



Store the Mitre Saw Stand only in dry locations that are inaccessible for unauthorised persons.

10. Transport



Do not transport whilst the electric power tool is running.

Before transporting the Mitre Saw Stand, pull out the mains plug of the electric power tool mounted on it! Risk of injury due to electric shock and unexpected start-up of the electric power tool!

Two people can lift the Mitre Saw Stand by its frame bed in order to move the Mitre Saw Stand stand within rooms (do not drag it along the ground).

If being transported in a vehicle, remove the electric power tool first.


Fold up the legs for transport.

Ensure that the load is well secured if transporting the Mitre Saw Stand in a motor vehicle.

12. Disposal and recycling

The equipment is supplied in packaging to prevent it from being damaged in transit. The raw materials in this packaging can be reused or recycled. The equipment and its accessories are made of various types of material, such as metal and plastic. Never place defective equipment in your household refuse. The equipment should be taken to a suitable collection center for proper disposal.

If you do not know the whereabouts of such a collection point, you should ask in your local council offices.






MITRE SAW STAND

Warranty Details

The product is guaranteed to be free from defects in workmanship and parts for a period of 60 months from the date of purchase. Defects that occur within this warranty period, under normal use and care, will be repaired, replaced or refunded at our discretion. The benefits conferred by this warranty are in addition to all rights and remedies in respect of the product that the consumer has under the Competition and Consumer Act 2010 and similar state and territory laws.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

AFTER SALES SUPPORT

 1300 855 831

 support@schepach.com.au

AU Hotline Costs: Local rate for landline calls*

*Charges may vary dependent upon network operator or mobile network provider.





MITRE SAW STAND

Repair and Refurbished Goods or Parts Notice

Unfortunately, from time to time, faulty products are manufactured which need to be returned to the Supplier for repair.

Please be aware that if your product is capable of retaining user-generated data (such as files stored on a computer hard drive, telephone numbers stored on a mobile telephone, songs stored on a portable media player, games saved on a games console or files stored on a USB memory stick) during the process of repair, some or all of your stored data may be lost.

We recommend you save this data elsewhere prior to sending the product for repair.

You should also be aware that rather than repairing goods, we may replace them with refurbished goods of the same type or use refurbished parts in the repair process.

Please be assured though, refurbished parts or replacements are only used where they meet Scheppach's stringent quality specifications.

If at any time you feel your repair is being handled unsatisfactorily, you may escalate your complaint. Please telephone us on "1300 855 831" or write to us at:


RossMac Pty. Ltd.


Unit 6, 4 Ovata Drive, Tullamarine, Victoria, 3043

Telephone: 1300 855 831 (Monday - Friday 8:30am-6:00pm)

Email: support@scheppach.com.au

AFTER SALES SUPPORT

 1300 855 831

 support@scheppach.com.au

AU Hotline Costs: Local rate for landline calls*

*Charges may vary dependent upon network operator or mobile network provider.



